

Design of a clinical decision support system powered by mhealth for the management of Parkinson's disease

Dimitrios Gatsios
Department of Neurology, Medical
School, University of Ioannina
Capemed
Ioannina, Greece
d.gatsios@uoi.gr

Georgios Rigas
Capemed
Ioannina, Greece
g.rigas@capemed.biz

Spyridon Konitsiotis
Department of Neurology, Medical
School, University of Ioannina
Ioannina, Greece
skonitsso@uoi.gr

Abstract—In this work we present the design of an EHR-agnostic, clinical decision support system (CDSS) enabling personalized medicine in the management of Parkinson's disease (PD) that complements symptomatic treatment by adopting passive (with IoT devices) and active (with mobile apps) patient monitoring and evaluation. The design is largely based on the current literature on CDSS, the findings of recent studies evaluating mhealth for PD and the analysis of user needs that well-defined shared decision making, flexibility addressing variations among clinicians and integration of data and information from various sources as the main design principles. The CDSS functional and dashboard requirements are presented as well as the overview of the platform components.

Keywords—Parkinson's disease, clinical decision support system, mhealth

I. INTRODUCTION

Parkinson's disease (PD) is a progressive, neurodegenerative condition which affected more than 6 million people in 2016 with this number expected to double by 2040 [1]. The management of Parkinson's disease is largely symptomatic and relies, apart from the clinical examination to the reporting of symptoms by the patients and their relatives during the visits which take place every 3 to 6 months in most European healthcare systems. Thus, the ability to continuously report symptoms and assess the response to medication is of paramount importance for a personalized and optimized treatment.

Fortunately, it is anticipated that within a few years, most PD patients will use patient portals and interoperable and substitutable mhealth technology that can interact with their Electronic Health Records (EHR) [2] in order to update the information about their symptoms in daily basis thus enabling individualized treatment approaches. Such digital means are already considered efficient for patient empowerment, since they promote health literacy and activate patients manage their condition leading to an improved quality of life.

Clinical decision support systems (CDSS) [3] on the other hand are tools developed for clinicians. CDSS are intended to improve healthcare delivery by enhancing medical decisions with targeted clinical knowledge (deriving from clinical practice Guidelines, as well as machine learning for instance for identifying similar cases from the EHR repository), patient information (monitoring and evaluation of motor symptoms, self-reporting of non-motor symptoms), and any other relevant health information (e.g. medication, adherence to treatment plans etc.).

Herewith, we present the process for the design of the powered by mhealth, CDSS PRIME. The primary objective of PRIME is to provide a personalized medicine approach for the

management of Parkinson's disease that complements symptomatic treatment by adopting a holistic strategy which takes into account genes, clinical subtypes, neuroimaging, lifestyle, co-morbidities etc. The secondary goal is to use mhealth, mainly a patient portal implemented as a mobile app and Internet of Things (IoT) devices to improve the knowledge about the individual course of the disease and the response to treatment so as to support tailored self-management approaches.

II. METHODS

In order to identify the basic requirements for the patient tools, firstly a narrative review of mhealth systems for Parkinson's management was conducted. The review also confirmed the feasibility of the concept and the acceptability to patients as well as the clinical usage of such systems. Two experts searched articles in PubMed with queries using quotes such as mhealth, Parkinson, treatment etc. and the abstracts of more than 300 articles were screened. 15 articles qualified for full text assessment and the 8 most relevant to PRIME articles are included in this work. CDSS were also reviewed to inform the required functionality for clinicians with a similar approach during which more than 100 articles were screened with only one being qualified as most relevant to PRIME since the others concerned decision support for specific symptoms and not a system. Then the findings were analyzed by a Movement Disorders Expert and two experienced software engineers and a consensus on the core requirements of the PRIME CDSS functionality and dashboard was reached. Finally, the information flow was defined, and the main components were designed.

III. RESULTS

A. Review of mhealth systems for Parkinson's

In PD_manager [4] a smartphone, a smartwatch and a pair of smart insoles constituted the mhealth system used to collect clinically meaningful data (on tremor and dyskinesias) in a sample of 75 patients using the system for 14 days. In the REMPARK study [5, 6], 41 patients used a system consisting of a sensor and a smartphone for 3 consecutive days during which they kept a diary of motor symptoms hourly, which demonstrated excellent sensitivity (97%) and specificity (88%) in detecting fluctuations. mPower [6] which was an observational, smartphone-based study developed using Apple's ResearchKit library, aimed at a 6-months data collection period, but the findings clearly indicate that the 150 participants were adherent for up to 2 weeks with minimal data contribution afterwards. In the CIS-PD study [7] 51 patients were monitored for 6 months with a smartwatch and a mobile app with the findings being controversial as individual patients tended to have either high or low

compliance across all compliance metrics. Feasibility of data collection using a smartphone and a smartwatch during daily life in a large cohort of 953 patients was the outcome of the Parkinson@home study [8]. Fischer et al. [9] based on the analysis of the data collected from 34 study participants with wrist-worn sensors at first for 4 h in a lab and then for 7 days at home, further confirmed that short-term monitoring with wearables is both feasible and acceptable patients. In the study of Heijmans et al [10], 20 participants were instructed to use three wearable sensors for a 2 weeks. They were also asked to answer digital questionnaires on their smartphones at 7 semi-random instances daily. The results showed that the patients have worn the sensors over 94% of the instructed period and the analysis suggests that the collected data could reliably predict OFF periods. In the most relevant to PRIME study, Heldman et al. [11] evaluated the impact of wearables for providing telemedicine and informing decisions about care. The 18 patients were instructed to use at home a motion sensor worn on the finger as well as an app designed for tablet, one day each week for a period of seven months. The compliance reached 95.7%. Importantly, the treating neurologist was able to successfully use the information from the produced automatic reports to adjust the therapy. In fact, the overall outcome is comparable to standard care.

B. Defining the PRIME CDSS Functionality

PD_manager [12], to the best of our knowledge, is the only holistic mHealth CDSS for PD as the other systems target specific symptoms. The design of PD_manager [13] which was based on three different studies of user needs and requirements with users from Greece, Slovenia, Italy and the

UK, constitutes the main source of requirements and design also for PRIME. In fact, the resulting treatment DSS [14], apart from indicating that the experts-based models are applicable for making "second-opinion" suggestions to clinicians, provided important lessons for the design of PRIME. The required functionality of any CDSS as comprehensively presented by Sutton et al., complemented the other methods adopted for the definition of the PRIME CDSS the main functionality of which is included in Table I.

C. PRIME CDSS Dashboard Requirements

After defining the main functionality, we have also analyzed and reported the dashboard requirements which are included in Table II and are expected to be further adapted and enriched during the development process and after iterations with clinicians. Empowerment of shared decision making, addressing the varying needs and approaches of clinicians and integration of heterogeneous information are the main design principles.

D. PRIME platform overview.

As depicted in Fig. 1, the platform consists of an IoT API that fetches data from different mhealth medical and experimental devices for the evaluation of motor symptoms. The collected data are temporarily stored in the mobile app along with patient reported data. The aggregated information is permanently stored in the backend and are available in the EHR. The CDSS component provides the described in Table I functionality which is available for the clinicians in their dashboard (see Table II).

TABLE I. PRIME CDSS FUNCTIONAL REQUIREMENTS.

FUNCTIONS OF CDSS	HOW THEY ARE ADDRESSED IN PRIME
Patient decision support	PRIME will integrate certified devices (smartphones, insoles, IMUs, smartwatches) that are passively monitoring patients' symptoms and practically the patients will only need to activate them and then only charge them. PROs ranging from Activities of Daily Life (ADL) to adherence to medication, will be asked with notifications in the mobile app that the patients will access with one-click and will then have drop down menus so that it is clear what kind of data are expected. Moreover, PRIME will enable shared decision making with visualizations that the patients and caregivers can understand that will be used during visits.
Patient Safety	Possible drug interactions, especially in patients with comorbidities, will be explored on the valid and up to date DrugBank (www.drugbank.ca) which is a unique resource of bioinformatics and cheminformatics that combines detailed data on drugs and their interactions. Possible drug-gene interactions will be checked with databases such as DGIdb (www.dgldb.org) and drug-protein interactions with STITCH (bio.tools/stitch). These mechanisms will also work offline and will be updated regularly.
Clinical management & Diagnostics support	It will be implemented with Guidelines and ontologies. The ontology of PD, named PDON, represents the relevant terminology for Parkinson's disease in a standard, compact, computer-readable format that can be further processed, be enriched and also used for the construction, representation and automatic expansion of the PRIME CDSS. The medical knowledge will be derived primarily from the Guidelines of the International Parkinson and Movement Disorder Society (MDS) [15, 16], as well as from NICE Guidelines. Moreover, similar cases extracted with machine learning methods from the EHR repository will indicate possible diagnosis and prognosis based on patients' baseline (or current) characteristics.
Interoperability	PRIME will establish repeatable conventions with a FHIR API (see the specification in www.hl7.org/fhir) in order to enable the exchange of data between the EHR and the CDSS and to expose the recommendations from the backend to the EHR. Additionally, historical data, imaging, previous diagnoses, treatments, etc. will be available from the connection with any FHIR compliant EHR and the integration with DICOM compliant RIS and PACS.

Administrative function/automation	The adopted EHR on top of which the CDSS will be implemented will be integrated with the e-Prescription system. Moreover, the EHR suite provides administrative support and integration with public insurance, it uses ICD10 coding etc. Availability of the FHIR API ensures expandability.
Workflow improvement	Iterative evaluations of usability and pilot testing are planned before the release since the integration in the current clinical workflow is a must for the adoption of PRIME. The CDSS adopts as fundamental principles reportability, auditing, interoperability and access (availability as a web service).




Fig. 1. PRIME platform main components.

IV. DISCUSSION

The key findings from relevant mhealth projects and studies that inform the design of the tools for the patients and the design of the subsequent clinical study for the evaluation can be summarized as follows:

- Objective monitoring and assessment of motor symptoms, with ecologic validity and accuracy, with both experimental and certified devices consisting of smartphones and wristbands is feasible and acceptable. In PRIME medical devices (PDMonitor® manufactured by PD Neurotechnology) will be adopted for the monitoring and evaluation of motor symptoms during a prospective clinical study. Insoles (manufactured by Moticon) and IMUs will also be integrated in order to perform specific tests for gait and tremor respectively. PRIME will also address non-

motor symptoms evaluation with a patient portal developed for that purpose.

- mHealth for the assessment of symptoms is also feasible, at least for a timeframe of two weeks since after that period a decrease in compliance is noted in most studies. The design of PRIME will be in this direction since patients will be asked to wear the devices for 5-7 days monthly for the period that will be needed in each case.
- Future clinical studies, such as the one to be conducted in PRIME, should evaluate clinical effectiveness and further establish safety; this is the most important step for wide adaptation by clinicians and for mid-term integration of mhealth and CDSS in the daily clinical practice.

TABLE II. DASHBOARD REQUIREMENTS.

Nr.	The dashboard shall:
UR1	Offer discrete and standardized neurologic examination documentation options
UR2	Enable tracking of changes to neurologic examination findings or severity (summary)
UR3	Automatically integrate patient portals and import patient reported outcomes (PROs)
UR4	Incorporate PD specific clinical data (neuroradiology, neurophysiology)
UR5	Present to the clinicians similar patients' cases to the one being assessed
UR6	Provide clinicians with suggestions based on Guidelines (MDS, NICE) to guide their diagnosis, visualizing relevant historical data, e.g. from motor fluctuations
UR7	Show non-motor and motor symptoms in common and informative graphs, whenever possible

UR8	Provide drill down capabilities to enable the clinicians get insight in specific timeframes, e.g. using a calendar-like module, also supporting comparisons
UR9	Present in a single view info for symptoms and medication adherence to correlate them
UR10	Present the specific symptoms, comorbidities and timeframes of interest for each patient instead of providing standardized views
UR11	Provide a tool with medication options based on MDS and other evidence-based clinical Guidelines to support their treatment decisions
UR12	Include drug-drug interactions, drug -gene interactions, drug protein interactions (whenever data on genetics is available) to support prescribing
UR13	Include the up-to-date list of the prescribed pharmacotherapy and supporting therapy plans
UR14	Include adherence to pharmacotherapy and supporting therapy plans.
UR15	Enable the monitoring and evaluation of changes in the pharmacotherapy and supporting therapy plans to provide an improved treatment plan
UR16	Provide (optionally) ecologically valid summary activity and sleep data.
UR17	Support data sharing between clinicians
UR18	Enable data sharing among clinicians involved in the multidisciplinary care of patients (where applicable).

From the neurologist's perspective, the interoperable (FHIR compliant) PRIME aims to support decisions related to the confirmation and revision of diagnosis and the optimization of pharmacological treatment. The EHR, a patient portal and wearable devices are the sources of heterogeneous information on the patient. Machine learning methods and the clinical evidence (derived from Clinical Guidelines) are the basis of the DSS backend. Integration with e-prescription systems incorporating drug interaction DBs further ensure the safety of the patient. Patient-specific recommendations are then presented to the clinician through a well-designed dashboard developed to support decisions.

Since the components serving the required CDSS functions are already developed, future work includes the finalization of the interfaces, i.e. the patient portal and the clinicians' dashboard. Then, the main hypothesis, which is that mhealth and CDSS are feasible and acceptable to end users and can improve the management of Parkinson's, will be evaluated within a prospective proof of concept study.

V. CONCLUSIONS

PRIME will be an evidenced-based clinical decision support system based on digital biomarkers derived from patient-reported and sensor data collected at the community setting with mhealth, supporting clinicians optimize PD patients' treatment plans.

ACKNOWLEDGMENT

PRIME is co-financed by the European Regional Development Fund of the European Union and Greek national funds through the Operational Program Competitiveness, Entrepreneurship and Innovation, under the call RESEARCH – CREATE – INNOVATE (project code: T2EDK- 05199).

REFERENCES

- [1] E. R. Dorsey *et al.*, "Global, regional, and national burden of Parkinson's disease, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016," *Lancet Neurol*, vol. 17, no. 11, pp. 939-953, 2018.
- [2] C. Hansen, A. Sanchez-Ferro, and W. J. J. o. P. s. d. Maetzel, "How mobile health technology and electronic health records will

- change care of patients with Parkinson's disease," *J Parkinsons Dis.*, vol. 8, no. s1, pp. S41-S45, 2018.
- [3] R. T. Sutton, D. Pincock, D. C. Baumgart, D. C. Sadowski, R. N. Fedorak, and K. I. J. N. d. m. Kroeker, "An overview of clinical decision support systems: benefits, risks, and strategies for success," *npj Digital Medicine*, vol. 3, no. 1, pp. 1-10, 2020.
- [4] D. Gatsios *et al.*, "Feasibility and utility of mHealth for the remote monitoring of Parkinson disease: Ancillary study of the PD_manager randomized controlled trial," *JMIR mHealth and uHealth*, vol. 8, no. 6, p. e16414, 2020.
- [5] À. Bayès *et al.*, "A "HOLTER" for Parkinson's disease: Validation of the ability to detect on-off states using the REMPARK system," *Gait & posture*, vol. 59, pp. 1-6, 2018.
- [6] B. M. Bot *et al.*, "The mPower study, Parkinson disease mobile data collected using ResearchKit," *Scientific data*, vol. 3, p. 160011, 2016.
- [7] J. J. Elm *et al.*, "Feasibility and utility of a clinician dashboard from wearable and mobile application Parkinson's disease data," *NPJ digital medicine*, vol. 2, no. 1, pp. 1-6, 2019.
- [8] A. L. S. de Lima *et al.*, "Feasibility of large-scale deployment of multiple wearable sensors in Parkinson's disease," *PLoS One*, vol. 12, no. 12, p. e0189161, 2017.
- [9] J. M. Fisher, N. Y. Hamnerla, L. Rochester, P. Andras, and R. W. Walker, "Body-worn sensors in Parkinson's disease: Evaluating their acceptability to patients," *Telemedicine and e-Health*, vol. 22, no. 1, pp. 63-69, 2016.
- [10] M. Heijmans *et al.*, "Monitoring Parkinson's disease symptoms during daily life: a feasibility study," *npj Parkinson's Disease*, vol. 5, no. 1, pp. 1-6, 2019.
- [11] D. A. Heldman *et al.*, "Telehealth management of Parkinson's disease using wearable sensors: an exploratory study," *Digital biomarkers*, vol. 1, no. 1, pp. 43-51, 2017.
- [12] K. M. Tsiouris *et al.*, "PD_Manager: an mHealth platform for Parkinson's disease patient management," *Healthc Technol Lett*, vol. 4, no. 3, pp. 102-108, Jun 2017.
- [13] L. Timotijevic *et al.*, "Designing a mHealth clinical decision support system for Parkinson's disease: a theoretically grounded user needs approach," *BMC Medical Informatics and Decision Making*, vol. 20, no. 1, pp. 1-21, 2020.
- [14] M. Bohanec *et al.*, "A decision support system for Parkinson disease management: expert models for suggesting medication change," *Journal of Decision Systems*, vol. 27, no. sup1, pp. 164-172, 2018.
- [15] S. H. Fox *et al.*, "International Parkinson and movement disorder society evidence - based medicine review: update on treatments for the motor symptoms of Parkinson's disease," *Mov Disord.*, vol. 33, no. 8, pp. 1248-1266, 2018.
- [16] K. Seppi *et al.*, "Update on treatments for nonmotor symptoms of Parkinson's disease—an evidence - based medicine review," *Mov Disord.*, vol. 34, no. 2, pp. 180-198, 2019.